

**List of Camellia Cultivars**  
**planted in**  
**The Camellia Garden of Oita Agricultural Park**

| No. | Cultivar Name       | in Japanese   | Species, etc.                   | Place originated, etc. | Flowering Period  | Place Planted |
|-----|---------------------|---------------|---------------------------------|------------------------|-------------------|---------------|
| 1   | Aisen               | 愛染            | <i>C. japonica</i>              | Nagasaki Pref.         | midseason         | 1             |
| 2   | Aka-kasenzan        | 赤花仙山          | <i>C. japonica</i>              | Shimane Pref.          | midseason         | B110          |
| 3   | Aka-seiôbo          | 赤西王母          | <i>C. japonica</i>              | Toyama Pref.           | early to mid      | 3             |
| 4   | Akashigata          | 明石潟           | <i>C. japonica</i>              | Edo Camellia           | midseason         | 2             |
| 5   | Aka-suminokura      | 赤角倉           | <i>C. japonica</i>              | Kansai District        | early to mid      |               |
| 6   | Akatsuki            | 暁             | <i>C. japonica</i>              | Kagawa Pref.           | early to mid      | B116          |
| 7   | Aka-wabisuke        | 赤侘助           | <i>C. japonica</i>              | Hyôgo Pref.            |                   | 5             |
| 8   | Aka-tsuru-no-minato | 赤鶴の港          | <i>C. japonica</i>              |                        |                   | 4             |
| 9   | Akebono             | 曙             | <i>C. japonica</i>              | Kyôto Pref.            | early to mid      | 7             |
| 10  | Aki-no-tsuki        | 秋の月           | <i>C. japonica</i>              | Aichi Pref.            | early to late     | 6             |
| 11  | Alpine Glow         | アルペン・グロー      | <i>C. japonica</i>              | USA                    |                   | B33           |
| 12  | Amagashita          | 天ヶ下           | <i>C. japonica</i>              | Kansai District        | midseason         | 11            |
| 13  | Arahôshi            | 荒法師           | <i>C. japonica</i>              | Saitama Pref.          | midseason         |               |
| 14  | Arajishi            | 荒獅子           | <i>C. rusticana</i>             | Edo Camellia           | very early to mid | 13            |
| 15  | Arcadia             | アルカディア        | <i>C. reticulata</i> hybrid     | USA                    |                   | B51           |
| 16  | Asagao              | 朝顔            | <i>C. japonica</i> , Higo Group | Kumamoto Pref.         | midseason         | 8             |
| 17  | Asuka               | 明日香           | <i>C. japonica</i>              | Aichi Pref.            | midseason         | 9             |
| 18  | Ayabe               | 綾部            | <i>C. japonica</i>              | Fukuoka Pref.          |                   | B118          |
| 19  | Ayanishiki          | 綾錦            | <i>C. japonica</i>              | Aichi Pref.            | midseason         | 12            |
| 20  | Ayato               | 彩斗            | <i>C. japonica</i>              | Fukuoka Pref.          | early to mid      | B126          |
| 21  | Bâ-no-ki            | 婆の木           | <i>C. japonica</i>              | Shimane Pref.          | early to mid      | 164           |
| 22  | Beni-akari          | 紅あかり          | <i>C. japonica</i>              | Fukuoka Pref.          |                   | B125          |
| 23  | Beni-ginu           | 紅衣            | <i>C. reticulata</i> hybrid     | Ôsaka Pref.            | midseason         | B63           |
| 24  | Beni-hagoromo       | 紅羽衣           | <i>C. japonica</i>              | Fukuoka Pref.          | early to mid      | 208           |
| 25  | Beni-myôrenji       | 紅妙蓮寺          | <i>C. japonica</i>              | Aichi Pref.            | early to late     | 210           |
| 26  | Betty Foy Sanders   | ベティ・フォイ・サンダース | <i>C. japonica</i>              | USA                    | midseason         | B22           |
| 27  | Betty's Beauty      | ベティズ・ビューティ    | <i>C. rusticana</i>             | USA                    |                   | B28           |
| 28  | Black Magic         | ブラック・マジック     | <i>C. japonica</i>              | USA                    | mid to late       | 204           |
| 29  | Black Opal          | ブラック・オパール     | <i>C. japonica</i> hybrid       | New Zealand            |                   | B10           |
| 30  | Brian               | ブライアン         | <i>C. saluenensis</i> hybrid    | New Zealand            |                   | 202           |

| No. | Cultivar Name                           | in Japanese      | Species, etc.             | Place originated, etc.           | Flowering Period       | Place Planted |
|-----|-----------------------------------------|------------------|---------------------------|----------------------------------|------------------------|---------------|
| 31  | Brushfield's Yellow                     | ブラッシュフィールドズ・イエロー | <i>C. japonica</i>        | Australia                        |                        | B45           |
| 32  | Buttermint                              | バターミント           | <i>C. kissi</i> hybrid    | USA                              | early to late          | B9            |
| 33  | <i>C. amplexicaulis</i>                 | ハイダウン            | a species caemllia        | Species from Vietnam&China       | bloom year-round       | A1            |
| 34  | <i>C. changii</i> ( <i>C. azalea</i> )  | (アザレアツバキ)        | a species caemllia        | Guangdong prov., China           | summer to autumn       | A2            |
| 35  | <i>C. cucphuongensis</i>                | クックフォンキンカチャ      | a species caemllia        | North Viet Nam                   | early to mid           | A3            |
| 36  | <i>C. flava</i>                         | キカチャ             | a species caemllia        | North Viet Nam                   | early                  | A4            |
| 37  | <i>C. granthamiana</i>                  | グランサムツバキ         | a species caemllia        | Hongkong, Guangdong Prov., China | early to mid           | A5            |
| 38  | <i>C. grijsii</i>                       | 和名未定             | a species caemllia        | Species from China               | winter to spring       | A6            |
| 39  | <i>C. impressinervis</i>                | オウミヤクキンカチャ       | a species caemllia        | Species from China               | late winter to spring  | A7            |
| 40  | <i>C. japonica</i>                      | ヤブツバキ            | a species caemllia        | Species from Japan               | autumn to spring       | A8            |
| 41  | <i>C. japonica</i> f. <i>macrocarpa</i> | リンゴツバキ           | a species caemllia        | From Kagoshima pref.             | spring                 | A9            |
| 42  | <i>C. lutchuensis</i>                   | ヒメサザンカ           | a species caemllia        | Okinawa pref.                    | late winter to spring  | A10           |
| 43  | <i>C. nitidissima</i>                   | キンカチャ            | a species caemllia        | Species from China               | early to mid           | A11           |
| 44  | <i>C. pingguoensis</i>                  | ヘイカキンカチャ         | a species caemllia        | Species from China               | autumn to early winter | A12           |
| 45  | <i>C. pitardii</i>                      | ピタルツバキ           | a species caemllia        | Species from China               | midwinter to spring    | A19           |
| 46  | <i>C. quephongensis</i>                 | 和名未定             | a species caemllia        | Species from China               | winter to spring       | A14           |
| 47  | <i>C. rosae flora</i>                   | 和名未定             | a species caemllia        | Species from China               | winter to early spring | A15           |
| 48  | <i>C. yuhsienensis</i>                  | 和名未定             | a species caemllia        | Species from China               | early winter to spring | A20           |
| 49  | Carmen                                  | カルメン             | <i>C. japonica</i>        | Edo Camellia→USA                 | late                   | B11           |
| 50  | Chichu                                  | チイチュ (七巧)        | <i>C. japonica</i>        | China                            |                        | 144           |
| 51  | Chikushi-shibori                        | ちくししぼり           | <i>C. japonica</i> hybrid | Fukuoka Pref., fragrant          | early to mid           | 145           |
| 52  | Chitose-giku                            | 千歳菊              | <i>C. japonica</i>        | Edo Camellia                     | late                   |               |
| 53  | Chiyogiku                               | 千代菊              | <i>C. japonica</i>        | Chûbu District                   | midseason              | 148           |
| 54  | Chôchidori                              | 蝶千鳥              | <i>C. japonica</i>        | Edo Camellia                     | late                   | 147           |
| 55  | Chôka                                   | 頂華               | <i>C. japonica</i>        | Tôkyo Pref.                      | midseason              | B114          |
| 56  | Cornelian                               | コーネリアン (大瑠璃)     | <i>C. reticulata</i>      | China→USA                        | midseason              | B4            |
| 57  | Crimson Robe                            | クリムゾン・ローブ (大桃紅)  | <i>C. reticulata</i>      | China→USA                        | midseason              | B13           |
| 58  | Curtain Call                            | カーテン・コール         | <i>C. reticulata</i>      | USA                              | mid to late            | B21           |
| 59  | Dahlohnega                              | ダローネガ            | <i>C. japonica</i>        | USA                              | midseason              | 142           |
| 60  | Daijôkan                                | 大城冠              | <i>C. japonica</i>        | Aichi Pref., Castle of Nagoya    | midseason              | 125           |

| No. | Cultivar Name         | in Japanese    | Species, etc.                       | Place originated, etc.           | Flowering Period  | Place Planted |
|-----|-----------------------|----------------|-------------------------------------|----------------------------------|-------------------|---------------|
| 61  | Daikagura             | 太神楽            | <i>C. japonica</i>                  | Edo Camellia                     | very early to mid | 123           |
| 62  | Daikokuten            | 大黒天            | <i>C. japonica</i>                  | Hyôgo Pref.                      |                   | 124           |
| 63  | Daisenhaku            | 大山白            | <i>C. japonica</i>                  | Tottori Pref.                    | early to mid      | 126           |
| 64  | Dewa-tairin           | 出羽大輪           | <i>C. japonica</i>                  | Aichi Pref.                      | winter to spring  | 154           |
| 65  | Dick Goodson          | ディック・グッドソン     | <i>C. reticulata</i> hybrid         | USA                              | mid to late       | B27           |
| 66  | Dr. Louis Polizzi     | ドクター・ルイス・ポリッツイ | <i>C. saluenensis</i> hybrid        | USA                              | early to mid      | 157           |
| 67  | Drama Girl Variegated | ドラマ・ガール・バー     | <i>C. japonica</i>                  | USA                              | early to mid      | B35           |
| 68  | Easter Morn           | イースター・モーン      | <i>C. japonica</i>                  | USA                              | mid to late       | B41           |
| 69  | Ed Combatalade        | エド・コンバータレード    | <i>C. japonica</i>                  | USA                              | mid to late       | B32           |
| 70  | Edo-nishiki           | 江戸錦            | <i>C. japonica</i>                  | Kantô District                   | late              | B85           |
| 71  | Elegans Champagne     | エレガンス・シャンペーン   | <i>C. japonica</i>                  | USA                              | early to mid      | 29            |
| 72  | Elegans Splendor      | エレガンス・スプレnder  | <i>C. japonica</i>                  | USA                              | early to mid      | B42           |
| 73  | Etenraku              | 越天楽            | <i>C. japonica</i>                  | Kyôto Pref.                      | midseason         | B67           |
| 74  | Ezo-nishiki           | 蝦夷錦            | <i>C. japonica</i>                  | Edo Camellia                     | mid to late       |               |
| 75  | Fairy Blush           | フェアリー・ブラッシュ    | <i>C. lutchuensis</i> hybrid        | New Zealand, fragrant            | early to late     | B18           |
| 76  | Fairy Wind            | フェアリー・ウインド     | <i>C. japonica</i>                  | China, synonym for Fengxian      |                   | B15           |
| 77  | Fimbriata             | フィンブリアータ       | <i>C. japonica</i>                  | China→England                    | early             | 191/B34       |
| 78  | Fire Chief            | ファイアー・チーフ      | <i>C. japonica</i> hybrid           | USA                              | mid to late       | 192           |
| 79  | Firedance Variegated  | ファイアーダンス・バー    | <i>C. japonica</i>                  | USA                              | midseason         | B37           |
| 80  | Flower Girl           | フラワー・ガール       | <i>C. sasanqua</i> hybrid           | USA                              | early to late     | 205           |
| 81  | Fragrant Pink         | フラグラント・ピンク     | <i>C. rusticana</i> hybrid          | USA, fragrant                    | early to mid      | 203           |
| 82  | Frank Houser          | フランク・ハウザー      | <i>C. reticulata</i> hybrid         | USA                              | early to mid      | B50           |
| 83  | Fugaku-no-suzume      | 富岳の雀           | <i>C. japonica</i>                  | Fukuoka Pref.                    | early to mid      | 194           |
| 84  | Fuji-no-yuki          | 富士の雪           | <i>C. rusticana</i> hybrid          | Niigata Pref., leaves variegated | late              | B83           |
| 85  | Fukakusa-no-syôsyô    | 深草の少将          | <i>C. japonica</i>                  | Yamaguchi Pref.                  | late              | 193           |
| 86  | Fukiage-shibori       | 吹上絞            | <i>C. japonica</i>                  | Fukuoka Pref.                    | early to mid      | 195           |
| 87  | Fukumusume            | 福娘             | <i>C. japonica</i>                  | Fukuoka Pref.                    | midseason         | 198           |
| 88  | Fukurin-edo-nishiki   | 覆輪江戸錦          | <i>C. japonica</i>                  | Kantô District                   | late              | 200           |
| 89  | Fukurin-ikkyû         | 覆輪一休           | <i>C. japonica</i>                  | Edo Camellia                     | late              | 199           |
| 90  | Fukurin-uraku         | 覆輪有楽           | <i>C. japonica</i> , Wabisuke Group | Nara Pref.                       | early to mid      | B81           |

| No. | Cultivar Name            | in Japanese | Species, etc.                       | Place originated, etc. | Flowering Period | Place Planted |
|-----|--------------------------|-------------|-------------------------------------|------------------------|------------------|---------------|
| 91  | Fukurin-wabisuke         | 覆輪佐助        | <i>C. japonica</i> , Wabisuke Group | Aichi Pref.            | early to mid     | 201           |
| 92  | Fukutsudumi              | 福鼓          | <i>C. japonica</i>                  | Aichi Pref.            | mid to late      | 197           |
| 93  | Fusen-in-aka-yabu        | 富泉院赤ヤブ      | <i>C. japonica</i>                  | Saga→Fukuoka Pref.     | early to mid     | B90           |
| 94  | Gay Time                 | ゲイ・タイム      | <i>C. x williamsii</i>              | New Zealand            | midseason        | B49           |
| 95  | Genji-guruma             | 源氏車         | <i>C. japonica</i>                  | Edo Camellia           | early to mid     | 68            |
| 96  | Gesshō                   | 月照          | <i>C. japonica</i>                  | Aichi Pref.            | early to mid     | 67            |
| 97  | Gion-no-kami             | 祇園守         | <i>C. japonica</i>                  |                        |                  | 49            |
| 98  | Gisetsu                  | 祇節          | <i>C. japonica</i>                  |                        |                  | 92            |
| 99  | Goshiki-tsubaki (Chūbu)  | 五色椿 (中部)    | <i>C. japonica</i>                  | Aichi Pref.            | early to mid     | B122          |
| 100 | Goshiki-yae-chiritsubaki | 五色八重散椿      | <i>C. japonica</i>                  | Kyōto Pref.            | midseason        | 75            |
| 101 | Gyoku-botan              | 玉牡丹         | <i>C. japonica</i>                  | Edo Camellia           | midseason        |               |
| 102 | Hagoromo                 | 羽衣          | <i>C. japonica</i>                  | Edo Camellia           | midseason        | 169           |
| 103 | Haku-botan(Chūbu)        | 白牡丹 (中部)    | <i>C. japonica</i>                  | Aichi Pref.            | late             | 167           |
| 104 | Haku-ō                   | 白王          | <i>C. japonica</i> hybrid           | Fukuoka Pref.          | early to mid     | B119          |
| 105 | Haku-otome               | 白乙女         | <i>C. japonica</i>                  | Edo Camellia           | late             |               |
| 106 | Hakurakuten              | 白楽天         | <i>C. japonica</i>                  | Kyōto Pref.            | midseason        | B95           |
| 107 | Hakurei                  | 白嶺          | <i>C. japonica</i>                  | Ishikawa Pref.         | early to mid     | B115          |
| 108 | Hakuro-nishiki           | 白露錦         | <i>C. japonica</i>                  | Edo Camellia           | early to mid     | 168           |
| 109 | Hakutsuru                | 白鶴          | <i>C. japonica</i>                  | Aichi Pref.            | early to mid     | 166           |
| 110 | Hamadayama               | 浜田山         | <i>C. japonica</i>                  | Tōkyo Pref.            | midseason        | 174           |
| 111 | Hana-daijin              | 花大臣         | <i>C. japonica</i>                  | Aichi Pref.            | early to mid     | 172           |
| 112 | Hana-fūki                | 花富貴         | <i>C. japonica</i>                  | Chiba Pref.            | late             | 173           |
| 113 | Hanakotoba               | 花言葉         | <i>C. japonica</i>                  | Aichi Pref.            | midseason        | 171           |
| 114 | Happy Days               | ハッピー・デイズ    | <i>C. reticulata</i> hybrid         | USA                    | midseason        | B6            |
| 115 | Haru-no-akebono          | 春の曙         | <i>C. japonica</i>                  | Ōsaka Pref.            | midseason        | 176           |
| 116 | Haru-no-mai              | 春の舞         | <i>C. japonica</i>                  | Aichi Pref.            | midseason        | 149           |
| 117 | Haru-no-utena            | 春の台         | <i>C. japonica</i>                  | Edo Camellia           | late             | 177           |
| 118 | Haru-urara               | 春うらら        | <i>C. japonica</i>                  | Aichi Pref.            | midseason        | 175           |
| 119 | Hatsu-arashi             | 初嵐          | <i>C. japonica</i>                  | Kyōto→Edo Camellia     | early to mid     | 170           |
| 120 | Hawaii                   | ハワイ         | <i>C. japonica</i>                  | USA                    | early to mid     | 180           |

| No. | Cultivar Name        | in Japanese   | Species, etc.                       | Place originated, etc.          | Flowering Period | Place Planted |
|-----|----------------------|---------------|-------------------------------------|---------------------------------|------------------|---------------|
| 121 | Heian-no-utage       | 平安の宴          |                                     |                                 |                  | B123          |
| 122 | Helen Bower          | ヘレン・パワー       | <i>C. japonica</i>                  | USA                             | mid to late      | B39           |
| 123 | Henry E. Huntington  | ヘンリー・E・ハンチントン | <i>C. japonica</i>                  | USA                             |                  | B38           |
| 124 | High Fragrance       | ハイ・フラグランス     | <i>C. japonica</i> hybrid           | New Zealand, fragrant           | mid to late      | 165           |
| 125 | High Jinks           | ハイ・ジンクス       | <i>C. japonica</i>                  | Australia                       |                  | B48           |
| 126 | Higo-kôryû           | 肥後興龍          | <i>C. japonica</i> , Higo Group     | Kumamoto Pref., not registered  |                  | 184           |
| 127 | Higo-kumagai         | 肥後熊谷          | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                  | mid to late      | 183           |
| 128 | Higo-kyô-nishiki     | 肥後京錦          | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                  | mid to late      | 245           |
| 129 | Higo-ôzeki           | 肥後大関          | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                  | midseason        | 182           |
| 130 | Hijirimen            | 緋縮緬           | <i>C. japonica</i>                  | Edo Camellia                    | midseason        | 186           |
| 131 | Hikarugenji          | 光源氏           | <i>C. japonica</i>                  | Edo Camellia                    | midseason        | 181           |
| 132 | Hime-no-ka           | 姫の香           | <i>C. japonica</i> hybrid           | Tôkyo Pref.                     |                  | 188           |
| 133 | Hime-shirayuki       | 姫白雪           | <i>C. rusticana</i>                 | Niigata Pref.                   | mid to late      |               |
| 134 | Hime-wabisuke        | 姫侘助           | <i>C. japonica</i> , Wabisuke Group | Aichi Pref.                     | early to mid     | 189           |
| 135 | Hinazakura           | ひな桜           | <i>C. saluenensis</i> hybrid        | Fukuoka Pref.                   | midseason        | B56           |
| 136 | Hishibeni            | 菱紅            | <i>C. japonica</i>                  | Ôsaka Pref.                     | midseason        | B89           |
| 137 | Hizen-hototogisu     | 肥前ほととぎす       | <i>C. japonica</i>                  | Nagasaki Pref.                  | midseason        |               |
| 138 | Hôga-beni            | 芳雅紅           | <i>C. japonica</i>                  | Yamaguchi Pref.                 | midseason        | B59           |
| 139 | Hôgetsu              | 抱月            | <i>C. japonica</i>                  | Aichi Pref.                     | midseason        | 211           |
| 140 | Honbôji              | 本法寺           | <i>C. japonica</i>                  | Toyama Pref.                    | late             | B106          |
| 141 | Honeymoon            | ハネムーン         | <i>C. nitidissima</i> hybrid        | USA                             | late             | B23           |
| 142 | Hô`ô                 | 鳳凰            | <i>C. japonica</i> hybrid           | Saitama Pref.                   | midseason        | B65           |
| 143 | Hôsen                | 宝専            | <i>C. japonica</i>                  | Shizuoka Pref.                  | mid to late      | B117          |
| 144 | Hoshiiri-bokuhan     | 星入りト伴         | <i>C. japonica</i>                  | Edo Camellia                    | midseason        | 44            |
| 145 | Hôshu                | 宝珠            | <i>C. japonica</i>                  | Toyama Pref.                    | late             |               |
| 146 | Ichifusa             | 市房            | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                  | midseason        | B96           |
| 147 | Ichiko-wabisuke      | 一子侘助          | <i>C. japonica</i> , Wabisuke Group | Aichi Pref., <i>C. japonica</i> | early to mid     | 18            |
| 148 | Ichiraku             | 一楽            | <i>C. rusticana</i>                 | Niigata Pref.                   | midseason        | 19            |
| 149 | Iijima-sunago        | 飯島砂子          |                                     |                                 |                  | 14            |
| 150 | Iki-hayazaki-akayabu | 壺岐早咲赤ヤブ       | <i>C. japonica</i>                  | Iki, Nagasaki Pref.             | early to mid     | B97           |

| No. | Cultivar Name                  | in Japanese | Species, etc.                       | Place originated, etc.             | Flowering Period | Place Planted |
|-----|--------------------------------|-------------|-------------------------------------|------------------------------------|------------------|---------------|
| 151 | <b>Ikkyû</b>                   | 一休          | <i>C. japonica</i>                  | Fukuoka Pref.                      | midseason        | 20            |
| 152 | <b>Ima-kumagai</b>             | 今熊谷         | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                     | mid to late      | 21            |
| 153 | <b>Isa-taihaku</b>             | 伊勢大白        | <i>C. japonica</i>                  | Mie→Aichi Pref.                    | mid to late      | 17            |
| 154 | <b>Ishizuchi</b>               | 石鎚          | <i>C. japonica</i>                  | Ehime Pref.                        | midseason        | B78           |
| 155 | <b>Iwane-shibori</b>           | 岩根絞         | <i>C. japonica</i>                  | Edo Camellia                       | midseason        | 23            |
| 156 | <b>Iyo-nokogiriba-tsubaki</b>  | 伊予鋸葉椿       | <i>C. japonica</i>                  | Ehime Pref.                        |                  | 22            |
| 157 | <b>Izumotaisha-yabutsubaki</b> | 出雲大社薔椿      | <i>C. japonica</i>                  | Shimane Pref.                      | mid to late      | 16            |
| 158 | <b>Jean Clare</b>              | ジーン・クレア     | <i>C. japonica</i>                  | New Zealand                        |                  | B24           |
| 159 | <b>Jessie Conner</b>           | ジェシー・コナー    | <i>C. japonica</i>                  | USA                                | early            | B31           |
| 160 | <b>Jin Hua He Cai</b>          | 金華賀彩        | <i>C. hybrid</i>                    | USA                                |                  | 54            |
| 161 | <b>Jikkô</b>                   | 日光          | <i>C. japonica</i>                  | Kyôto, synonym of Beni-karako      | mid to late      | 91            |
| 162 | <b>Jitsugetsu</b>              | 日月          | <i>C. japonica</i>                  | Saitama Pref.                      |                  |               |
| 163 | <b>Jitsugetsusei</b>           | 日月星         | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                     | mid to late      | 90            |
| 164 | <b>Jôren-no-haru</b>           | 乗蓮の春        | <i>C. japonica</i>                  | Tôkyo Pref.                        | mid to late      | 100           |
| 165 | <b>Julie Variegated</b>        | ジュリー・バー     | <i>C. japonica</i> hybrid           | USA                                | mid to late      | B36           |
| 166 | <b>K.Ohara</b>                 | ケイ・オハラ      | <i>C. japonica</i>                  | Japan→USA                          | mid to late      | B17           |
| 167 | <b>Kagiri</b>                  | 限り          | <i>C. japonica</i>                  | Edo Camellia                       | late             |               |
| 168 | <b>Kamogawa</b>                | 加茂川         | <i>C. japonica</i>                  | Aichi Pref.                        | early to mid     | 45            |
| 169 | <b>Kamo-honnami</b>            | 加茂本阿弥       | <i>C. japonica</i>                  | Kansai District                    | early to mid     | 46            |
| 170 | <b>Kannon-cha</b>              | 観音茶         |                                     |                                    |                  | 47            |
| 171 | <b>Kantô-sukiya</b>            | 関東数寄屋       | <i>C. japonica</i> , Wabisuke Group | Edo Camellia                       | early to mid     | 113           |
| 172 | <b>Kanyôtai</b>                | 寒陽袋         | <i>C. japonica</i>                  | Kantô District                     | late             | 48            |
| 173 | <b>Kanzakura</b>               | 寒桜          | <i>C. fraterna</i> hybrid           | Ôsaka Pref.,fragrant               | midseason        | B113          |
| 174 | <b>Kasayama-guro</b>           | 笠山黒         | <i>C. japonica</i>                  | Yamaguchi Pref.                    |                  | 40            |
| 175 | <b>Kasayama-wabisuke</b>       | 笠山侘助        | <i>C. japonica</i>                  | Yamaguchi Pref.                    |                  | 41            |
| 176 | <b>Kasen-sunago</b>            | 花泉砂子        | <i>C. japonica</i>                  | Edo Camellia                       | late             | 43            |
| 177 | <b>Kasenzan</b>                | 花仙山         | <i>C. japonica</i>                  | Shimane Pref.                      |                  | 42            |
| 178 | <b>Kifujin</b>                 | 貴婦人         | <i>C. japonica</i>                  | Fukuoka Pref.                      | midseason        | B57           |
| 179 | <b>Kimura-shiro</b>            | 木村白         | <i>C. japonica</i>                  |                                    |                  | 51            |
| 180 | <b>Kingyoba-shiro-wabisuke</b> | 金魚葉白侘助      | <i>C. japonica</i> , Wabisuke Group | Chûbu District, <i>C. japonica</i> | early to mid     | 56            |

| No. | Cultivar Name     | in Japanese   | Species, etc.                       | Place originated, etc.         | Flowering Period | Place Planted |
|-----|-------------------|---------------|-------------------------------------|--------------------------------|------------------|---------------|
| 181 | Kinkakô           | 金華紅           |                                     |                                |                  | 55            |
| 182 | Kinkô             | 金晃            | <i>C. japonica</i>                  | Kantô District                 |                  | 57            |
| 183 | Kishû-tsukasa     | 紀州司           | <i>C. japonica</i>                  | Hyôgo Pref.                    | late             | 50            |
| 184 | Kôbai-no-zu       | 紅梅の図          | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                 | mid to late      |               |
| 185 | Kô-botan          | 紅牡丹           | <i>C. japonica</i>                  | Saitama Pref.                  | midseason        |               |
| 186 | Kochô-wabisuke    | 胡蝶佗助          | <i>C. japonica</i> , Wabisuke Group | Edo Camellia                   | midseason        | 77            |
| 187 | Kogane-yuri       | こがねゆり         | <i>C. nitidissima</i> hybrid        | Ôsaka Pref.                    | midseason        | 72            |
| 188 | Kôhi              | 香妃            | <i>C. japonica</i> hybrid           | Tôkyo Pref., fragrant          | mid to late      | 70            |
| 189 | Kô-otome          | 紅乙女           | <i>C. japonica</i>                  | Edo Camellia                   | early to late    |               |
| 190 | Koiso             | 小磯            | <i>C. japonica</i>                  | Nagasaki Pref.                 |                  | 69            |
| 191 | Kokinran          | 古金欄           | <i>C. japonica</i>                  | Edo Camellia                   | midseason        | 73            |
| 192 | Kokuryû-shibori   | 黒龍絞           | <i>C. japonica</i>                  | Edo Camellia                   | late             | 74            |
| 193 | Konronkoku        | 崑崙黒           | <i>C. japonica</i>                  | Saitama Pref.                  | midseason        | 80            |
| 194 | Kôraku            | 幸楽            | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                 | midseason        | B86           |
| 195 | Kôshi             | 香紫            | <i>C. japonica</i>                  | Izu-ôshima Island, Tôkyo Pref. | midseason        | B98           |
| 196 | Koshi-no-reijin   | 越の麗人          | <i>C. japonica</i>                  | Niigata Pref.                  | midseason        | 76            |
| 197 | Koto-no-kaori     | 古都の香          | <i>C. japonica</i> hybrid           | Niigata Pref., fragrant        | midseason        | 78            |
| 198 | Koyabu            | 小ヤブ           | <i>C. japonica</i>                  | Yamaguchi Pref.                |                  | 79            |
| 199 | Kramere's Supreme | クラマーズ・シュープリーム | <i>C. japonica</i>                  | USA                            | midseason        | 63            |
| 200 | Kujaku-tsubaki    | 孔雀椿           | <i>C. japonica</i>                  | Aichi Pref.                    | midseason        | 59            |
| 201 | Kumagai(Kansai)   | 熊谷 (関西)       | <i>C. japonica</i>                  | Kyôto Pref.                    | late             | 61            |
| 202 | Kumasaka          | 熊坂            | <i>C. japonica</i>                  | Edo Camellia                   | late             | 62            |
| 203 | Kurenai           | くれない          | <i>C. reticulate</i> hybrid         | Ôsaka Pref.                    | midseason        | B70           |
| 204 | Kuro-botan        | 黒牡丹           |                                     |                                |                  | 66            |
| 205 | Kuro-tsubaki      | 黒椿            | <i>C. japonica</i>                  | Edo Camellia                   | late             | 65            |
| 206 | Kuroyuri          | 黒百合           | <i>C. japonica</i>                  | Hyôgo Pref.                    | midseason        | B55           |
| 207 | Kurume-kingyo     | 久留米金魚         | <i>C. japonica</i>                  | Fukuoka Pref.                  | midseason        | B60           |
| 208 | Kurume-otome      | 久留米乙女         | <i>C. japonica</i>                  | Fukuoka Pref.                  | midseason        | B124          |
| 209 | Kusensunago       | 九泉砂子          |                                     |                                |                  | 60            |
| 210 | Kyônishiki(Kantô) | 京錦 (関東)       | <i>C. japonica</i>                  | Saitama Pref.                  | late             | 53            |



| No. | Cultivar Name     | in Japanese | Species, etc.                   | Place originated, etc.     | Flowering Period | Place Planted |
|-----|-------------------|-------------|---------------------------------|----------------------------|------------------|---------------|
| 211 | Kyûrai            | 休ライ         |                                 |                            |                  | 52            |
| 212 | Lemon Twist       | レモン・ツイスト    | <i>C.nitidissima</i> hybrid     | USA                        |                  | B52           |
| 213 | Lily Pons         | リリー・ポンス     | <i>C. japonica</i>              | USA                        |                  | B43           |
| 214 | Little Michael    | リトル・マイケル    | <i>C. japonica</i>              | USA                        | midseason        | B29           |
| 215 | Lois Shinault     | ロイス・シナート    | <i>C. reticulata</i> hybrid     | USA                        | early to mid     | 246           |
| 216 | Long Jing Chu Xue | 龍井初雪        | <i>C. hybrid</i>                | USA                        |                  | 242           |
| 217 | Look Away         | ルック・アウェイ    | <i>C. japonica</i>              | USA                        | mid to late      | 243           |
| 218 | Maifubuki         | 舞吹雪         | <i>C. japonica</i>              | Saitama Pref.              | early to mid     | B80           |
| 219 | Mantokuji         | 万徳寺         | <i>C. japonica</i>              | Fukui Pref.                | midseason        | B101          |
| 220 | Margaret Davis    | マーガレット・デービス | <i>C. japonica</i>              | Australia                  | mid to late      | 213           |
| 221 | Mariasama         | マリア様        | <i>C. japonica</i>              | Nagasaki Pref.             | midseason        | 217           |
| 222 | Mark Alan         | マーク・アラン     | <i>C. japonica</i>              | USA                        | midseason        | 214           |
| 223 | Masayoshi         | 正義          | <i>C. japonica</i>              | Fukuoka Pref.              | midseason        | 215           |
| 224 | Masterscent       | マスターセント     | <i>C. japonica</i> hybrid       | New Zealand, Fragrant      |                  | 216           |
| 225 | Meigetsu(Chûbu)   | 名月 (中部)     | <i>C. japonica</i>              | Aichi Pref.                | early to mid     | 229           |
| 226 | Miho-no-seki      | 美保の関        | <i>C. japonica</i>              | Saitama→Tôkyo Pref.        | midseason        | 226           |
| 227 | Mikasa-no-tsuki   | 三笠の月        | <i>C. japonica</i>              | Aichi Pref.                | midseason        | 219           |
| 228 | Mikawa-unryû      | 三河雲龍        | <i>C. japonica</i>              | Aichi Pref.                | midseason        | 220           |
| 229 | Mikuni-no-homare  | 御国の誉        | <i>C. japonica</i> , Higo Group | Kumamoto Pref.             | midseason        | 221           |
| 230 | Minato-no-akebono | 港の曙         | <i>C. japonica</i> hybrid       | Kanagawa Pref., fragrant   | early to mid     | 222           |
| 231 | Minato-no-hana    | 港の華         | <i>C. rosae-flora</i> hybrid    | Kanagawa Pref.             | midseason        | 223           |
| 232 | Minato-no-haru    | 港の春         | <i>C. japonica</i> hybrid       | Kanagawa Pref., fragrant   | midseason        | 224           |
| 233 | Minô-no-haru      | 耳納の春        | <i>C. japonica</i>              |                            |                  | 225           |
| 234 | Miura-otome       | 三浦乙女        | <i>C. japonica</i>              | Kanagawa→Saitama Pref.     | midseason        | 218           |
| 235 | Miyabi            | 雅           | <i>C. japonica</i>              | Ehime Pref.                | midseason        | B54           |
| 236 | Miyake-murasaki   | 三宅紫         | <i>C. japonica</i>              | Miyake Island, Tôkyo Pref. | early to mid     | B104          |
| 237 | Miyakodori        | 都鳥          | <i>C. japonica</i>              | Edo Camellia               | late             | 227           |
| 238 | Momoiro-kagura    | 桃色神楽        | <i>C. japonica</i>              | Hyôgo Pref.                | mid to late      |               |
| 239 | Momosuzume        | 桃雀          | <i>C. japonica</i>              | Toyama Pref.               | mid to late      | 230           |
| 240 | Momotarô          | 桃太郎         | <i>C. japonica</i>              | Fukuoka Pref.              | midseason        | 231           |

| No. | Cultivar Name     | in Japanese     | Species, etc.                       | Place originated, etc.            | Flowering Period | Place Planted |
|-----|-------------------|-----------------|-------------------------------------|-----------------------------------|------------------|---------------|
| 241 | Morobito          | 師人              | <i>C. japonica</i>                  | Kansai→Kanagawa Pref.             | midseason        | 232           |
| 242 | Moshio            | 藻汐              | <i>C. japonica</i>                  | Edo Camellia                      | late             |               |
| 243 | Mrs. D.W. Davis   | ミセス・D. W. ・デービス | <i>C. japonica</i>                  | USA                               | early to mid     |               |
| 244 | Murage            | 村下              | <i>C. japonica</i> , Wabisuke Group | Shimane Pref., <i>C. japonica</i> | early to mid     | 228           |
| 245 | Murasaki-shikibu  | 紫式部             | <i>C. japonica</i> , Wabisuke Group | Fukuoka Pref.                     | early to mid     | B87           |
| 246 | Nagatsuka         | 長束              | <i>C. japonica</i>                  | Hiroshima Pref.                   | midseason        | B99           |
| 247 | Nambankô          | 南蛮紅             | <i>C. japonica</i>                  | Kyûsyû District                   | midseason        | 160           |
| 248 | Nancy Reagan      | ナンシー・レーガン       | <i>C. reticulata</i> hybrid         | USA                               |                  | B5            |
| 249 | Nioi-fubuki       | 匂吹雪             | <i>C. japonica</i>                  | Kumamoto Pref.                    | mid to late      | 161           |
| 250 | Nirai-kanai       | ニライ・カナイ         | <i>C. japonica</i>                  | Kagoshima Pref.                   | midseason        | B120          |
| 251 | Nishikiba-seiôbo  | 錦葉西王母           | <i>C. japonica</i> hybrid           | Fukuoka Pref.                     | early to mid.    | B82           |
| 252 | Nobeoka           | 延岡              | <i>C. japonica</i>                  | Miyazaki Pref.                    | midseason        | B94           |
| 253 | Nobuko-no-fu      | 信子の譜            | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                    | midseason        | B62           |
| 254 | Notre Dame        | ノートル・ダム         | <i>C. reticulata</i>                | USA                               | late             | B19           |
| 255 | Nuccio's Cameo    | ヌッチオズ・カメオ       | <i>C. japonica</i>                  | USA                               | early to late    | 163           |
| 256 | Nuccio's Carousel | ヌッチオズ・カルーセル     | <i>C. japonica</i>                  | USA                               | early to late    | B44           |
| 257 | Nuccio's Jewel    | ヌッチオズ・ジュエル      | <i>C. japonica</i>                  | USA                               | mid to late      | B1            |
| 258 | Nukada-hime       | 額田姫             | <i>C. rusticana</i> hybrid          | Niigata Pref., fragrant           | midseason        | 162           |
| 259 | Nukifude          | 抜筆              | <i>C. japonica</i>                  | Edo Camellia                      | midseason        |               |
| 260 | Nymph             | ニンフ             | <i>C. lutchuensis</i> hybrid        | New Zealand, fragrant             | early to late    | B25           |
| 261 | Ô-aso             | 大阿蘇             | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                    | midseason        | 33            |
| 262 | Oborozuki         | 朧月              | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                    | midseason        | 38            |
| 263 | Ohinasama         | おひなさま           | <i>C. japonica</i>                  | Fukuoka Pref.                     | early to mid     | B74           |
| 264 | Oimatsu           | 老松              | <i>C. japonica</i>                  | Edo Camellia                      | midseason        | 30            |
| 265 | Oi-no-mezame      | 老の目覚            | <i>C. japonica</i>                  | Fukuoka Pref.                     | early to mid     | B105          |
| 266 | Ôkan              | 王冠              | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                    | midseason        | 31            |
| 267 | Okuwabi           | 奥侘              | <i>C. japonica</i>                  | Aichi Pref.                       | midseason        | 37            |
| 268 | Ômidare           | 大乱              | <i>C. japonica</i>                  | Edo Camellia                      |                  | 36            |
| 269 | Ô-niji            | 大虹              | <i>C. japonica</i>                  | Saitama Pref.                     | midseason        | B77           |
| 270 | Osaraku           | 長楽              | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                    | midseason        | B76           |

| No. | Cultivar Name       | in Japanese   | Species, etc.                       | Place originated, etc.              | Flowering Period  | Place Planted |
|-----|---------------------|---------------|-------------------------------------|-------------------------------------|-------------------|---------------|
| 271 | Ôshôkun             | 王昭君           | <i>C. japonica</i>                  | Hyôgo Pref.                         | late              |               |
| 272 | Ôta-haku            | 太田白           | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                      | midseason         | 34            |
| 273 | Otome-tsubaki       | 乙女椿           | <i>C. japonica</i>                  | Edo Camellia                        | early to late     | B130          |
| 274 | Ôtori               | 鳳             | <i>C. japonica</i>                  | Gifu→Aichi Pref.                    | mid to late       | 35            |
| 275 | Ou-no-sato          | 意宇の里          | <i>C. japonica</i>                  | Matsue City, Shimane Pref.          | early to mid      | 32            |
| 276 | Pink Dahlia         | ピンク・ダリア       | <i>C. x williamsii</i>              | USA                                 | mid to late       | 190           |
| 277 | Popcorn             | ポップコーン        | <i>C. japonica</i>                  | USA                                 |                   | 212           |
| 278 | Prince Murat        | プリンス・ミュラート    | <i>C. japonica</i>                  | USA                                 | midseason         | 207           |
| 279 | Princess Masako     | プリンセス雅子       | <i>C. japonica</i>                  | Saitama Pref.                       | midseason         | B66           |
| 280 | Pristine Fragrance  | プリスティン・フラグランス | <i>C. japonica</i>                  | New Zealand,fragrant                | early to late     | 206           |
| 281 | Queen Bee           | クイーン・ビー       | <i>C. reticulata</i> hybrid         | USA                                 | mid to late       | B7            |
| 282 | Rasenzome           | 羅撰染           | <i>C. japonica</i>                  | Edo Camellia                        | late              | 240           |
| 283 | Red Bird            | レッド・バード       | <i>C. japonica</i>                  | USA                                 | mid to late       | B47           |
| 284 | Reizanzô            | 麗山峯           | <i>C. rusticana</i>                 | Niigata Pref.                       | midseason         | 244           |
| 285 | Rikyû               | 利久            | <i>C. rusticana</i>                 | Toyama Pref.                        | midseason         | B92           |
| 286 | Rikyû-shibori       | 利休絞           | <i>C. rusticana</i>                 |                                     |                   | 241           |
| 287 | Rôran               | 桜蘭            | <i>C. japonica</i>                  | Ishikawa Pref.                      | early to mid      | B121          |
| 288 | Royal Velvet        | ロイヤル・ベルベット    | <i>C. japonica</i>                  | USA                                 | midseason         | B2            |
| 289 | Sakasa-fuji         | さかさ富士         | <i>C. japonica</i>                  | Aichi Pref.                         | midseason         | 81            |
| 290 | Sakura              | サクラ           | <i>C. japonica</i> hybrid           | Tôkyo Pref.                         | midseason         | 82            |
| 291 | Sakurajima-gakkô    | 桜島月光          | <i>C. japonica</i> , Wabisuke Group | Kagoshima Pref., <i>C. japonica</i> |                   | B100          |
| 292 | Sasameyuki          | 細雪            | <i>C. japonica</i>                  | Aichi Pref.                         | mid to late       | B88           |
| 293 | Satsuma             | 薩摩            | <i>C. japonica</i>                  | Kagoshima Pref.                     | midseason         | B127          |
| 294 | Sawada's Dream      | サワダス・ドリーム     | <i>C. japonica</i>                  | USA                                 | mid to late       | B14           |
| 295 | Sayaka-wabisuke     | 沙夜香侘助         | <i>C. japonica</i> , Wabisuke Group | Fukuoka Pref., <i>C. japonica</i>   | early to mid      | B75           |
| 296 | Scented Fireglow    | センテッド・ファイアグロー | <i>C. japonica</i>                  | New Zealand,fragrant                | mid to late       | 120           |
| 297 | Scentuous           | センチュアス        | <i>C. japonica</i> hybrid           | New Zealand, fragrant               | mid to late       | 119           |
| 298 | Seiôbo              | 西王母           | <i>C. japonica</i> hybrid           | Ishikawa Pref.                      | very early to mid | 116           |
| 299 | Sennen-fujimurasaki | 千年藤紫          | <i>C. japonica</i>                  | Nagasaki Pref.                      | midseason         | 121           |
| 300 | Sennin-bokuhan      | 仙人ト伴          | <i>C. japonica</i>                  | Fukuoka Pref.                       | midseason         | B61           |

| No. | Cultivar Name               | in Japanese | Species, etc.                       | Place originated, etc.               | Flowering Period  | Place Planted |
|-----|-----------------------------|-------------|-------------------------------------|--------------------------------------|-------------------|---------------|
| 301 | Senogawa                    | 瀬野川         | <i>C. japonica</i> , Wabisuke Group | Okayama Pref., <i>C. japonica</i>    | early to mid      | B112          |
| 302 | Sensuikyô                   | 仙酔峡         | <i>C. japonica</i> , Higo Group     | Kumamoto Pref., not registered       |                   | 118           |
| 303 | Sesshû                      | 雪舟          | <i>C. japonica</i>                  | Shimane Pref.                        | early to mid      | 117           |
| 304 | Shibori-hatsu-arashi        | 絞初嵐         | <i>C. japonica</i>                  | Fukuoka Pref.                        | very early to mid | 93            |
| 305 | Shibori-rôgetsu             | 絞朧月         | <i>C. japonica</i>                  | Ôsaka Pref.                          | early             | 94            |
| 306 | Shibori-wabisuke            | 絞侘助         | <i>C. japonica</i> , Wabisuke Group | Ôsaka Pref., a synonym of Kocho-waki | midseason         | 95            |
| 307 | Shichihenge-tsubaki         | 七変化椿        | <i>C. japonica</i>                  | Edo Camellia                         | late              | 88            |
| 308 | Shikainami                  | 四海波         | <i>C. japonica</i>                  | Edo Camellia                         | late              | 84            |
| 309 | Shikibu                     | 式部          | <i>C. japonica</i>                  | Aichi Pref.                          | early to mid      | 85            |
| 310 | Shikuro-tsubaki             | 紫黒椿         | <i>C. japonica</i>                  | Fukuoka Pref.                        | midseason         | 86            |
| 311 | Shiragiku                   | 白菊          | <i>C. japonica</i>                  | Edo Camellia                         | midseason         |               |
| 312 | Shiratama                   | 白玉          | <i>C. japonica</i>                  | Kyôto Pref.                          | early to mid      | 101           |
| 313 | Shiro-bokuhan               | 白ト伴         | <i>C. japonica</i>                  | Aichi Pref.                          | early to mid      | 108           |
| 314 | Shiro-daikagura(Kantô)      | 白太神楽 (関東)   | <i>C. rusticana</i>                 | Saitama Pref.                        | early to mid      |               |
| 315 | Shiro-hagoromo              | 白羽衣         | <i>C. japonica</i>                  | Aichi Pref.                          | midseason         | 106           |
| 316 | Shirohitoë-kingyoba-tsubaki | 白一重錦魚葉椿     | <i>C. japonica</i>                  | Chûbu District                       | midseason         | 107           |
| 317 | Shiro-komachi               | 白小町         | <i>C. japonica</i> , Higo Group     | Kumamoto Pref., not registered       |                   | 103           |
| 318 | Shiro-osaraku               | 白長楽         | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                       | midseason         | 102           |
| 319 | Shiro-sakasafuji            | 白さかさ富士      | <i>C. japonica</i>                  | Aichi Pref.                          | midseason         | 104           |
| 320 | Shiro-seiôbo                | 白西王母        | <i>C. japonica</i> hybrid           | Ishikawa Pref.                       | very early to mid | 105           |
| 321 | Shiro-wabisuke              | 白侘助         | <i>C. japonica</i> , Wabisuke Group | Edo Camellia                         | early to mid      | 109           |
| 322 | Shiro-yabutsubaki           | 白ヤブツバキ      | <i>C. japonica</i>                  | Fukuoka Pref.                        | midseason         |               |
| 323 | Shishôka                    | 四昭花         | <i>C. japonica</i>                  | Hyôgo Pref.                          | midseason         | 87            |
| 324 | Shiruku-rôdo                | シルク・ロード     | <i>C. reticulata</i> hybrid         | Tôkyo Pref.                          | midseason         | B20           |
| 325 | Shôkôshi                    | 小公子         | <i>C. japonica</i>                  | Hyôgo Pref.                          | early to mid      | 99            |
| 326 | Shuchûka                    | 酒中花         | <i>C. japonica</i>                  | Edo Camellia                         | midseason         | 97            |
| 327 | Shûran                      | 秀蘭          | <i>C. japonica</i>                  | Ishikawa Pref.                       | midseason         | 96            |
| 328 | Shutendôji                  | 酒天童子        | <i>C. japonica</i>                  | Ehime Pref.                          | midseason         | 98            |
| 329 | Silver Tower                | シルバー・タワー    | <i>C. japonica</i>                  | USA                                  | midseason         | B26           |
| 330 | Sorin-an                    | 素林庵         | <i>C. japonica</i>                  | Fukui Pref.                          | midseason         | B109          |

| No. | Cultivar Name       | in Japanese   | Species, etc.                       | Place originated, etc.            | Flowering Period  | Place Planted |
|-----|---------------------|---------------|-------------------------------------|-----------------------------------|-------------------|---------------|
| 331 | Sôshi-arai          | 草紙洗           | <i>C. japonica</i>                  | Edo Camellia                      | midseason         | 122           |
| 332 | Sôshin-wabisuke     | 湊晨佗助          | <i>C. japonica</i> , Wabisuke Group | Saitama Pref.                     | early to mid      | B79           |
| 333 | Spring Fling        | スプリング・フリング    | <i>C. japonica</i>                  | USA                               | late              | B3            |
| 334 | Sugarugataki        | 数鹿流ヶ滝         | <i>C. japonica</i>                  | Kumamoto Pref., not registered    |                   | 111           |
| 335 | Suigetsu            | 酔月            | <i>C. nitidissima</i> hybrid        | Ôsaka Pref.                       | midseason         | B71           |
| 336 | Sukiya              | 数寄屋           | <i>C. japonica</i> , Wabisuke Group | Edo Camellia                      | early to mid      | 112           |
| 337 | Sumi-no-hikari      | 角の光           | <i>C. japonica</i> , Wabisuke Group | Shimane Pref., <i>C. japonica</i> | early to mid      | B93           |
| 338 | Sumizome            | 墨染            | <i>C. japonica</i>                  | Saitama Pref.                     | late to very late |               |
| 339 | Sundowner           | サンダウナー        | <i>C. japonica</i>                  | USA                               | midseason         | B16           |
| 340 | Superscent          | スーパーセント       | <i>C. japonica</i> hybrid           | New Zealand                       | midseason         | 110           |
| 341 | Suzaku              | 朱雀            | <i>C. japonica</i>                  | Fukuoka Pref.                     | early to mid      | B69           |
| 342 | Suzuka-no-seki      | 鈴鹿の関          | <i>C. japonica</i>                  | Edo Camellia                      | late              | 114           |
| 343 | Sweet Emily Kate    | スイート・エミリー・ケイト | <i>C. japonica</i> hybrid           | Australia, fragrant               | mid to late       | B12           |
| 344 | Tafuku-benten       | 多福弁天          | <i>C. japonica</i>                  | Edo Camellia                      | midseason         | B129          |
| 345 | Taiheiraku          | 太平楽           | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                    | midseason         | 127           |
| 346 | Taiyô-nishiki       | 太陽錦           | <i>C. japonica</i>                  | Aichi Pref.                       | midseason         | 128           |
| 347 | Takai-shidare       | 高井しだれ         |                                     |                                   |                   | B84           |
| 348 | Takumi              | たくみ           | <i>C. japonica</i>                  | Fukuoka Pref.                     | midseason         | 129           |
| 349 | Tama Americana      | タマ・アメリカーナ     | <i>C. japonica</i>                  | USA                               | midseason         | 132           |
| 350 | Tama Banbino        | タマ・バンビーノ      | <i>C. japonica</i>                  | USA                               | early to mid      | B30           |
| 351 | Tama Beauty         | タマ・ビューティ      | <i>C. japonica</i>                  | USA                               | early to mid      | 135           |
| 352 | Tama Bell           | タマ・ベル         | <i>C. japonica</i>                  | USA                               | early to mid      | 136           |
| 353 | Tama Glitters       | タマ・グリッターズ     | <i>C. japonica</i>                  | USA                               | early to mid      | 133           |
| 354 | Tama Peacock        | タマ・ピーコック      | <i>C. japonica</i>                  | USA                               | mid to late       | 134           |
| 355 | Tama-ariake         | 玉ありあけ         | <i>C. japonica</i>                  | Nagasaki Pref.                    | midseason         | 137           |
| 356 | Tama-gasumi         | 玉霞            | <i>C. japonica</i>                  | Aichi Pref.                       | mid to late       | 138           |
| 357 | Tama-no-kanzashi    | 玉のかんざし        | <i>C. japonica</i>                  | Fukuoka Pref.                     | midseason         | B68           |
| 358 | Tama-no-ura         | 玉之浦           | <i>C. japonica</i>                  | Gotô Archipelago, Nagasaki Pref.  | early to mid      | 140           |
| 359 | Tama-no-yae-akebono | 玉の八重曙         | <i>C. japonica</i>                  | Fukuoka Pref.                     | early to mid      | B72           |
| 360 | Tanchô              | 丹頂            | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                    | midseason         | 143           |

| No. | Cultivar Name         | in Japanese | Species, etc.                       | Place originated, etc.            | Flowering Period | Place Planted |
|-----|-----------------------|-------------|-------------------------------------|-----------------------------------|------------------|---------------|
| 361 | Tanima-no-tsuru       | 谷間の鶴        | <i>C. rusticana</i>                 | Ishikawa Pref.                    | early to mid     | 130           |
| 362 | Tarô'an-nishiki       | 太郎庵錦        | <i>C. japonica</i>                  | Aichi Pref.                       | early to mid     | 141           |
| 363 | Tarôkazya             | 太郎冠者        | <i>C. japonica</i> , Wabisuke Group | Edo Camellia                      | early to mid     |               |
| 364 | Tata                  | タタ          | <i>C. japonica</i>                  | USA                               | mid to late      | B46           |
| 365 | Tenmoku               | 天目          | <i>C. japonica</i>                  | Nagasaki Pref.                    | midseason        | 155           |
| 366 | Tenryo-no-mai         | 天女の舞        | <i>C. japonica</i>                  | Shizuoka Pref.                    | midseason        | B107          |
| 367 | Tenrinji-gakkô        | 天倫寺月光       | <i>C. japonica</i> , Wabisuke Group | Shimane Pref., <i>C. japonica</i> | early to mid     | 156           |
| 368 | Terrell Weaver        | テレル・ウイバー    | <i>C. reticulata</i> hybrid         | USA                               | midseason        | B8            |
| 369 | Tochihime             | 栃姫          | <i>C. rusticana</i>                 | Niigata Pref.                     | midseason        | B53           |
| 370 | Tomorrow Park Hill    | トモロー・パーク・ヒル | <i>C. japonica</i>                  | USA                               | early to mid     | 158           |
| 371 | Tsubakiyama           | 椿山          | <i>C. japonica</i>                  | Saitama Pref.                     | midseason        |               |
| 372 | Tsubame-gaeshi        | 燕返し         | <i>C. japonica</i>                  | Fukuoka Pref.                     | midseason        | 153           |
| 373 | Tsugawa-shibori       | 津川絞         | <i>C. japonica</i>                  | Niigata Pref.                     | midseason        | 150           |
| 374 | Tsukimi-guruma(Chûbu) | 月見車 (中部)    | <i>C. japonica</i>                  | Aichi Pref.                       | midseason        | 152           |
| 375 | Tsukimi-no-en         | 月見の宴        | <i>C. japonica</i>                  | Fukuoka Pref.                     | midseason        | B58           |
| 376 | Tsuki-no-wa           | 月の輪         | <i>C. japonica</i>                  | Fukuoka Pref.                     | midseason        | 151           |
| 377 | Tsushima-no-musume    | 対馬の娘        | <i>C. japonica</i>                  | Tsushima Island, Nagasaki Pref.   | early to mid     | B111          |
| 378 | Tulip Time            | チューリップ・タイム  | <i>C. x williamsii</i>              | USA                               | midseason        | 146           |
| 379 | Ubugoe                | 産声          | <i>C. japonica</i> , Wabisuke Group | Kumamoto Pref.                    | mid to late      | B73           |
| 380 | Ugetsu                | 雨月          | <i>C. japonica</i>                  |                                   |                  | 24            |
| 381 | Usa-tsubaki           | 宇佐椿         | <i>C. japonica</i>                  |                                   |                  | 25            |
| 382 | Usa-tsubaki (Takaya)  | 宇佐椿 (高屋)    | <i>C. japonica</i>                  |                                   |                  | 26            |
| 383 | Uzu                   | 雲珠          | <i>C. japonica</i>                  | Hyôgo Pref.                       | mid to late      | 27            |
| 384 | Valentine Day         | バレンタイン・デー   | <i>C. reticulata</i> hybrid         | USA                               | midseason        | 179           |
| 385 | Valley Knudsen        | バリー・ヌーゼン    | <i>C. saluenensis</i> hybrid        | USA                               | mid to late      | 178           |
| 386 | Wakato-no-hikari      | 若戸の光        |                                     |                                   |                  | 247           |
| 387 | Xiang Fei Chi Xiang   | 香妃遅現        | <i>C. hybrid</i>                    | USA                               |                  | 71            |
| 388 | Yakôhai               | 夜光盃         | <i>C. japonica</i>                  | Hyôgo Pref.                       | midseason        | B103          |
| 389 | Yamato-nishiki        | 日本錦         | <i>C. japonica</i> , Higo Group     | Kumamoto Pref.                    | midseason        | 233           |
| 390 | Yamayuri              | 山百合         | <i>C. japonica</i>                  | Aichi Pref.                       | early to mid     | 234           |

| No. | Cultivar Name            | in Japanese | Species, etc.             | Place originated, etc. | Flowering Period | Place Planted |
|-----|--------------------------|-------------|---------------------------|------------------------|------------------|---------------|
| 391 | <b>Yobukodori(Kantô)</b> | 呼子鳥（関東）     | <i>C. japonica</i>        | Edo Camellia           | late             |               |
| 392 | <b>Yoshitsukasa</b>      | 義司          | <i>C. japonica</i>        | Fukuoka Pref.          | midseason        | 238           |
| 393 | <b>Yume</b>              | 夢           | <i>C. hiemalis</i> hybrid | Niigata Pref.          | early            | 236           |
| 394 | <b>Yume-chiyo</b>        | 夢千代         | <i>C. japonica</i>        | Ishikawa Pref.         | midseason        | B102          |
| 395 | <b>Yume-no-furusato</b>  | 夢の古里        | <i>C. japonica</i>        | Fukuoka Pref.          | midseason        | B64           |
| 396 | <b>Yummy Fragrance</b>   | ヤミー・フラグランス  | <i>C. japonica</i> hybrid | New Zealand,fragrant   | early to mid     | 235           |
| 397 | <b>Yukimi-guruma</b>     | 雪見車         | <i>C. japonica</i>        | Edo Camellia           | late             |               |
| 398 | <b>Yuri-shibori</b>      | 百合絞         | <i>C. japonica</i>        | Chiba Pref.            | midseason        | 237           |